Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

OXC-1232
COPY 1 OF 1

13 January 1961

Dear Doc,

25X1A
25X1A

Attached you will please find two copies of our requested equipment lists for [redacted] operation. In addition, we are planning to send to [redacted] much of the Customer Furnished Equipment that we are presently employing.

Thank you

Jules

JC:mb 25X1A

cc: [redacted]
File

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

OFFICE EQUIPMENT

STOCK NUMBER	QUANTITY	DESCRIPTION
7110-267-1996	4	Desk, Field
7110-281-4469	4	Chair, Rotary
6230-299-7693	4	Lamps, (Fluor. type only)
7125-269-8534	1	Cabinet, Storage
7430-281-6978	2	Typewriter, Port.
7105-269-8463	12	Chair, Folding
7520-527-2348	1	Trimmer, Paper
7520-281-5895	4	Stapler, Paper Fastening
7520-263-3425	2	Perforator, Paper
7110-286-3797	2	Cabinet Filing
	4	Sharpeners, Pencil, Office Type
	8	Trays, Filing (In-Out Boxes)
	1	Reproduction Machine, Ditto or Equiv.
	1	Reproduction Machine, Thermofax Model #20 or Equiv.
	1	Calculating machine, Marchant prefered

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

DRAFTING EQUIPMENT

STOCK NUMBER	QUANTITY	DESCRIPTION
6675-526-8521	1	Drawing Board and Trestle
	1	Drafting Machine* - or Straight Edge for Drawing Board
	1	Drafting Stool with Cushion
	1	Drafting Lamp, (Fluor.type only.)
7520-224-7593	1	Sharpener, Draftsman

*Preferred

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MISCELLANEOUS EQUIPMENT

STOCK NUMBER	QUANTITY	DESCRIPTION
7520-285-2380	1	Dispenser, Gummed Tape, Lever Operated

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MAINTENANCE EQUIPMENT

STOCK NUMBER	QUANTITY	DESCRIPTION
	10	Work Benches, Solid Steel Construction, Formica Top, Pref. Size - 3' X 6' X 36" High.
	10	Stools, Work Bench
	10	Lamps, Work Bench
7125-269-8534	7	Cabinet, Storage
3920-141-7230	2	Truck, Hand, Shelf
3920-222-1024	1	Truck, Hand, Two Wheel
6645-566-5537	1	Timer, Interval, Elec.
	2	Signal Generators, Hewlett Packard #200 CD or Equiv.
	4	Meters, Multimeter, Simpson #260 or Equiv.
	1	Overhead Hoist, Min. Cap, 1000 pounds, complete with "A" Frame and Casters, Minimum Height of Hoist 8 feet; Maximum Height of Hoist 11 feet. Electrically operated.
3432-277-6577	6	Soldering Iron - Electric thermostatically cont 110 v AC, 60 cyc w/o tips.
5110-243-0884	1	Drill, Breast, w/spirit level, 0 to 3/8 in.cap.
5110-268-4224	6	Stripper, wire, hand, w/auto. stop, 8022 AWG and AN cap.
5120-180-0550	3	Screwdriver, flat tip, wood handle, 1-1/2 in. lg. blade.
5120-180-0716	3	Screwdriver - Common w/screw holding att.lgth. of blade 4 in. approximately 7/32 in.wd.
5120-180-0974	3	Socket, socket wrench, d style, sq.dr.3/8 in., 12 point, 7/16 in. size.
5120-180-0987		Socket - 12 point 3/8 in.sq.dr. 3/8 in. deep.

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MAINTENANCE EQUIPMENT (Continued)

STOCK NUMBER	QUANTITY	DESCRIPTION
5120-18106794	3	Socket, Universal 12 point, 3/8 in.sq.dr. 3/8 in. BO.
5120-221-7971	3	Wrench, torque, L.Handle, sq.ma.e dr. 25 in.cap.
5120-222-8852	3	Screwdriver, flat tip, metal handle, 4 in.lg. blade.
5120-223-6940	3	Extractor screw, str.fluted, w/sliding nut, 1/4 in.screw size rating, No. 1.
5120-223-6941	3	Extractor, screw str.fluted, w/sliding nut 5/16 in.screw size rating, No. 2.
5120-223-6924	3	Extractor, screw str.fluted, w/sliding nut 3/8 in. screw size rating, No. 3.
5120-223-7398	3	Pliers, slip joint, str.nose, comb, w/cutter 10 in.
5120-224-7271	3	Vise, pin., .000 to .040 in.
5120-224-9215	3	Universal joint, socket wrench sq. end 3/8 in.
5120-227-6704	3	Socket, socket wrench, sq.dr. 3/8 in. 12 point 9/16 in.size.
5120-227-6705	3	Socket - 12 point 3/8 in.sq.dr. 3/4 in.
5120-227-8129	3	Ratchet attachment, socket wrench, reversible sq.end 3/8 in.
5120-232-5706	3	Socket, socket wrench, sq.dr. 3/8 in. 12 point 11/16 in.size.
5120-236-2139	3	Screwdrver - Cabinet str. tip 5 in.lg. blade 3/16 in.wd.tip.rd blade plas. handle.
5120-237-0977	3	Socket - 12 point 3/8 in.sq.dr. 1/2 in.
5120-237-0978	3	Socket - Universal 12 point 3/8 in.sq.dr. 9/16 in.BO.
5120-237-0979	3	Socket - Universal 12 point 3/8 in.sq.dr. 11/16 in.
5120-237-0980	3	Socket - Universal 12 point 3/8 in.sq.dr. 3/4 in BO

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MAINTENANCE EQUIPMENT (Continued)

STOCK NUMBER	QUANTITY	DESCRIPTION
5120-237-4969	3	Handle, socket wrench, brace, 3/8 in.dr.end.
5120-237-4973	3	Socket - 12 point 3/8 in.sq.dr. 5/8 in.
5120-237-4974	3	Socket - Universal 12 point 3/8 in.sq.dr. 5/8 in.BO.
5120-237-6985	3	Screwdriver - common lgth of blade 8 in. approx. 3/8 in wd. .050 in.thick.
5120-240-4328	3	Wrench, open end, adj. single hd. 8 in. long.
5120-240-5330	3	Wrench, open end. adj. single hd. 4 in. long.
5120-240-5634	3	Handle, socket wrench, ratchet, 3/8 in.
5120-240-5396	3	Handle - Socket wrench hinge 3/8 in.sq.dr.
5120-240-7308	3	Block, bench, mechanics, steel, 3 in.dia.
5120-241-3143	3	Handle, socket wrench, sliding "T", 3/8 in.dr.end.
5120-241-3185	3	Socket - 12 point 3/8 in.sq.dr. 1/2 in. deep.
5120-242-3352	3	Socket - Universal 12 point 3/8 in.sq.dr. 1/2 in.BO
5120-242-3354	3	Socket - Universal 12 point 3/8 in.sq.dr. 7/16 in. BO.
5120-243-1348	3	Vise, pin., .025 to .062 in.
5120-243-1689	3	Extension, socket wrench, 3/8 in.sq. shape end. 3 inlg.
5120-243-1690	3	Extension, socket wrench, 3/8 in.sq. shape end. 8 in.lg.
5120-263-3458	3	Tweezers, craftsman's, hollow jaw, 4-3/4 in.
5120-273-9203	3	Extension, socket wrench, 3/8 in.sq. shape end. 5 in.lg.
5120-277-4063	3	Wrench, tap and reamer, adj, 1/16 to 1/4 in.
5120-293-0045	3	Pliers, ret.ring, intr. flat.jaws, str. tips w/brkt. 5000 ring series, 106-175 size range.
5120-293-0046	3	Pliers, ret.ring, intr, flat jaws, str. tips w/brkt. 5000 ring series 181-350 size range.

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MAINTENANCE EQUIPMENT (Continued)

STOCK NUMBER	QUANTITY	DESCRIPTION
5120-293-0048	3	Pliers, ret.ring, intr. flat jaws, str. tips w/brkt 5000 ring series, 37-102 size range.
5120-293-0049	3	Pliers, ret.ring, ext., flat jaws, str. tips, w/brket, 5100 ring series, 93-143 size range.
5120-293-2251	3	Wrench, spanner, adj. 13/32 in.thk. of hook, 1-1/4 to a-1/2 in.dia.range, nonsparking and nonmagnetic.
5120-293-3481	3	Pliers - Long needle nose non-side cutting 6-1/2 in.lg.
5120-299-8412	3	Pliers, optician's hollow chop.
5120-534-0473	3	Wrench - Spanner camera lens adj.univ.type D-1.
5120-555-2088	3	Screwdriver - Common lgth of blade 6 in. approx. 5/16 in.wd. .046 in.thk.
5120-595-9073	3	Wrench, torque, L.handle, sq.male dr. 3/4 in.dr. 100 to 750 in.lb.cap.
5120-595-9526	3	Pliers, ret.ring ext. flat jaws, str. tips, w/brkt, 5100 ring series, 0.37 size range.
5120-293-1386	1	Drill, elec. port. str.dr.hvy. duty 1/4 in. 2000 rpm AC, DC 115 v, end handle w/closed grip.
5120-221-1936	1	Caliper, micrometer, outside, thousandths of in. units, 5-6 in.range, ratchet step.
5120-223-9600	3	Level and plumb, wood, 18 in.lg. o/a.
5210-265-7453	2	Tap, measuring, steel 6 ft. max. grad. lgth.
5210-640-0953	2	Indicator, dial, .025 in. range, .001 in. grad, 0-5-0 dial mks.
5210-640-1160	1	Gage, twist drill and drill rod, 61-80 range.
7901-254-4956(b)	2	Cleaner, vacuum vert. tank type w/wheels.
7900-073500	1	Caliper - Inside micrometer .200 to 1 in. grad. .001.
5210-187-1015	1	Hammer, hand, carpenter's, nailing, curved-claw, 13 oz.
5120-244-9385	1	Puller, nail, sidejoint.
3432-223-2530	1	Soldering iron, elec. 2-1/8, 1-5/16 in. dia. 110v 250 watt.

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0

MAINTENANCE EQUIPMENT (Continued)

STOCK NUMBER	QUANTITY	DESCRIPTION
5120-184-8602	3	Wrench, box, angular offset dbl.hd. 12 point 5/16, 3/8 in.size.
5120-184-8603	3	Wrench box, angular offset dbl.hd. 12 point 3/8, 7/16 in.size.
5120-184-8615	3	Wrench, open end, fixed, single head style, non-sparking and nonmagnetic.
5120-184-8671	3	Wrench, box, dbl.offset hd. 12 point 5/8, 11/16 in.size.
5120-184-8672	3	Wrench, box, dbl.offset hd. 12 point 3/4, 7/8 in. size.
5120-184-8673	3	Wrench, box, dbl.offset hd. 12 point 7/8, 15/16 in. size.
5120-184-8674	3	Wrench box, dbl.offset hd. 12 point, 15/16, 1 in. size.
5120-184-8676	3	Wrench, box, angular offset dbl.hd. 12 point, 1-1/4 1-5/16 in. size.
5120-184-8677	3	Wrench, box, dbl.offset hd. 12 point, 1-1/4, 1-3/8 in. size.
5120-184-8678	3	Wrench, box, dbl.offset hd. 12 point 1-7/16, 1-1/2 in. size.
5120-204-0672	3	Screwdriver, ratchet, R angle offset RH and LF, 3-51/64 in.lg. 2 blades.
5120-245-4227	1	Vise, machinist's swivel base, 4-1/2 in jaw, 5-1/2 open.
5120-272-4284	1	Extractor, cotter pin, 6 in.
5120-293-0487	2	Hammer, hand, inserted face, 1-1/4 lb. plas, 1-1/2 in.dia. face.
	2	Overhead Hoist. Minimum cap. 1000 pounds. Maximum height 17 feet; minimum height of hoist 14 feet. Electrically operated, complete with "A" frame and casters.

Approved For Release 2006/04/13 : CIA-RDP67B00511R000100180066-0